DNV-GL

APPROVAL OF MANUFACTURER CERTIFICATE

Certificate No: AMMM00001G6 Revision No:

2

This is to certify:

That

CMC Poland Sp. z o.o. ul. Piłsudskiego 82 A, 42-400 Zawiercie, Poland

is an approved manufacturer of Steelmaking and Rolled Steel Products

in accordance with DNV GL rules for classification - Ships

and the following particulars:

Application area

Normal strength steel,

High strength steel

Products

Structural sections, See page 2

Manufacturing method

Electric arc furnace, continuous casting

Max. thickness

See page 2 Heat treatment condition See page 2

Manufacturer(s) approved by this certificate is/are accepted to deliver according to DNV GL, DNV and GL rules. Materials to be applied to DNV GL classed object shall fulfill the material requirements in the applicable DNV GL class rules.

Issued at Hamburg on 2020-10-30

This Certificate is valid until 2023-10-31. DNV GL local station: Katowice CMC

Approval Engineer: Christian Wildhagen



Digitally Signed By: Roenr. Stefan Location: DNV GL Hamburg, Germany Signing Date: 02.11.2020 , on behalf of

> Thorsten Lohmann **Head of Section**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

Form code: AM 311

Revision: 2020-01

www.dnvgl.com

Page 1 of 2

263.11-011044-1 Certificate No: AMMM00001G6

Revision No: 2

Particulars of the approval

Normal strength steel

Grade	Product	Steel making 1)	Fine grain elements	Max. thickness [mm]	Heat treatment condition ²⁾
VL A, VL B, VL D	Section	EAF, CC	Al+V	20	AR

High strength steel

Grade	Product	Steel making 1)	Fine grain elements	Max. thickness [mm]	Heat treatment condition 2)
VL A36, VL D36	Section	EAF, CC	Al+V	20	AR

Remarks:

1) EAF: Electric arc furnace CC: Continuous casting
AR: as rolled

Form code: AM 311 Revision: 2020-01 www.dnvgl.com Page 2 of 2